



INDUSTRIAL SUPPLIES CENTER LLC

Quality, Service & Commitment

EMERGENCY JUMP STARTER

- Robust*
- Energy efficient*
- Cost effective*



www.isc-depot.com



MODEL	Epower-100
Battery Capacity	4000mAh / 14.8Wh
Dimension	155x79x16mm
Weight	190g
Output	12V car Jump Start 5V/2A—mobile phone, Tablet, other digital devices LED lighting
Input	5V/2A
Start Current	200A
Peak Current	400A
Operation Temperature	-20C to 60C



MODEL	Epower-64
Battery Capacity	3.7V/12000mAh / 44.4Wh
Dimension	172x86x36mm
Weight	480g
Output	12V car Jump Start 5V/2.4A—mobile phone, Tablet, other digital devices 1W LED lighting 19V/3.5A Laptop 12V/10A car electronic products (Tire inflator etc)
Input	5V/2A
Start Current	200A
Peak Current	400A
Operation Temperature	-20C to 60C



MODEL	Epower-40B
Battery Capacity	30000mAh / 111Wh
Dimension	223x236x80mm
Weight	1700g
Output	12V car Jump Start 24V truck Jump Start
Input	15V/1A
Start Current	12V/600A 24V/300A
Peak Current	12V/1200A 24V/600A
Operation Temperature	-20C to 60C

- Reverse charge protection: No reverse charging back to jumper unit after the vehicle has started
- Reverse Polarity Protection: No damage happened while the clamps are connected in wrong
- Short Circuit Protection: Prevent short-circuit occurring while two clamps are connected
- Over-charge Protection: Effectively prevent over-charge of the battery in the jump started



MODEL	T80
Battery Capacity	23100mAh / 85.47Wh
Dimension	190x90x150mm
Weight	1700g
Output	24V Jump Start 5V/2A—mobile phone, Tablet, other digital devices 19V/3.5A Laptop LED lighting
Input	15V/1A
Start Current	300A
Peak Current	400A
Operation Temperature	-20C to 60C

INVERTERS




MODEL	Y8300U	Y8400U	Y8500U	Y8600U	Y8800U
Continuous Power	300W	400W	500W	600W	800W
Peak Power	600W	800W	1000W	1200W	1600W
Input Voltage	DC 12V/24V	DC 12V/24V	DC 12V/24V	DC 12V/24V	DC 12V/24V
Output Voltage	AC100-120V/ AC220-240V	AC100-120V/ AC220-240V	AC100-120V/AC220 -240V	AC100-120V/AC220- 240V	AC100-120V/ AC220-240V
USB	DC 5V	DC 5V	DC 5V	DC 5V	DC 5V
Frequency	50HZ/60HZ	50HZ/60HZ	50HZ/60HZ	50HZ/60HZ	50HZ/60HZ

MODEL	Y81000U	Y81200U	Y81500U	Y82000	Y83000
Continuous Power	1000W	1200W	1500W	2000W	3000W
Peak Power	2000W	2400W	3000W	4000W	6000W
Input Voltage	DC 12V/24V	DC 12V/24V	DC 12V/24V	DC 12V/24V	DC 12V/24V
Output Voltage	AC100-120V/ AC220-240V	AC100-120V/ AC220-240V	AC100-120V/AC220 -240V	AC100-120V/AC220- 240V	AC100-120V/ AC220-240V
USB	DC 5V	DC 5V	DC 5V	DC 5V	DC 5V
Frequency	50HZ/60HZ	50HZ/60HZ	50HZ/60HZ	50HZ/60HZ	50HZ/60HZ



INDUSTRIAL SUPPLIES CENTER LLC

www.isc-depot.com



Head Office:

PO Box 39, PC: 101
M.C.C.
Muscat, Sultanate of Oman

Tel : +968 24460320
Fax: +968 24460291
Email: sales@isc-depot.com

Mabella Branch:

Way No: 7715
Mabella, Sanaiya
Muscat, Sultanate of Oman

Tel : +968 24467233
Fax: +968 24460291
Email: sales@isc-depot.com

Barka Branch:

Near Barka Sanaiya R/A
Shop No. 4, 5, 6
Muscat, Sultanate of Oman

Tel : +968 26883098
Fax: +968 24460291
Email: retail.barka@isc-depot.com